

PedsQL™ Administration GuidelinesSM

The following guidelines are intended for use by individuals trained in the administration of standardized questionnaires. The PedsQL™ administrator is crucial in developing rapport with the respondents, emphasizing the importance of the questionnaire, addressing concerns, and ensuring that the PedsQL™ is completed accurately and confidentially.

General Protocol

1. Create a procedure for assigning identification numbers that will allow for parent/child comparisons as well as comparisons of baseline/follow-up data.
2. If feasible, the PedsQL™ should be completed *before* the respondents complete any other health data forms and *before* they see their physician or healthcare provider.
3. The parent/child should first complete the PedsQL™ Generic Core Scales and then complete any additional PedsQL™ Module.
4. Parents, Children (8-12) and Teens (13-18) may self-administer the PedsQL™ after introductory instructions from the administrator. If the administrator determines that the child or teen is unable to self-administer the PedsQL™ (e.g., due to illness, fatigue, reading difficulties), the PedsQL™ should be read aloud to the child or teen. For the Young Child (5-7), the PedsQL™ should be administered by reading the instructions and each item to the young child word for word. At the beginning of each subscale repeat the recall interval instructions (one month or 7 days) to remind the young child to respond only for that specific recall interval. Use the separate page with the three faces response choices to help the young child understand how to answer. When reading items aloud to a child, intonation should be kept neutral to avoid suggesting an answer.
5. If a child has difficulty understanding the age-appropriate PedsQL™, the preceding age group version may be administered to the child (e.g., administering the Young Child (5-7) Self-Report version with the three faces response choices to an 8 year old). However, if a child presents with severe cognitive impairments (as determined by the administrator), the PedsQL™ may not be appropriate for that child. In such cases, only the Parent-Proxy Report should be administered to the child's parent.
6. The parent and child must complete the questionnaires *independently* of one another. Discourage the parent, child, or other family members from consulting with one another during the completion of the questionnaire. Let them know that they can feel free to discuss their answers following completion of the questionnaires, but that it is important to get both the parent's and the child's *individual* perspectives. If you are administering the questionnaire to the child, the child should be facing away from the parent.
7. If the child or parent has a question about what an item means or how they should answer it, do not interpret the question for them. Repeat the item to them verbatim. Ask them to answer the item according to what *they think the question means*. If they have trouble deciding on an answer, ask them to choose the response that comes closest to how they feel. The child and/or the parent has the option of not answering a question if they truly do not understand the question.
8. If a parent/child asks you to interpret the responses, tell her/him that you are not trained to interpret or provide a score for the answers given. If the PedsQL™ is being used for a clinical study, let the parent/child know that their answers will be combined with other participants' answers and analyzed as a group rather than as individual respondents.
9. Document all reasons for refusals and non-completions of the PedsQL™.

Administering the PedsQL™

1. The following scripts have been developed as a guide to introduce the PedsQL™ to the child and his/her parent(s). Modify the language to a style that is most appropriate for you and the respondent.

For the child:

The PedsQL™ asks you questions about how you feel and what you think about your health. It is not a test, and there are no right or wrong answers. It takes about 5 minutes to complete. If you have any questions, please let me know.

For the parent:

*The PedsQL™ is a questionnaire that assesses health-related quality of life in children and adolescents. It contains questions about your child's physical, emotional, social, and school functioning **in the past one month** (or for the Acute version, **in the past 7 days**).*

*The PedsQL™ is brief and typically takes less than 5 minutes to complete. It is not a test, and there are no right or wrong answers. Please be sure to read the instructions carefully and choose the response that is the closest to how you truly feel. Please do not compare your answers with your child's responses. We are interested in your and your child's **individual** perspectives. However, feel free to discuss the questionnaire with your child **after** you have both completed it and returned it to me. If you have any questions, please let me know.*

2. Provide the respondent with a pen or pencil and a solid writing surface. If a table is not available, the participant should be provided with an item such as a clipboard. Remain nearby should questions or concerns arise.
3. When the parent/child returns the PedsQL™, look it over and check to see that all answers have been completed. Verify that no item has more than one response. If any responses are incomplete, illegible, or there are multiple responses for an item, please ask the parent or child to indicate their response.
4. Ask the participants if they had any difficulties completing the questionnaire or if they have any other comments regarding the questionnaire. Document any important feedback.
5. Thank the parent and child for taking the time to complete the questionnaire. If the study design involves following up with these respondents, let them know that they may be asked to complete the PedsQL™ again at another time. Indicate when they can expect to be contacted again if known.